

SERIES 602 & 603 MINI RATCHET LEVER HOISTS



THE MOST COMPACT RATCHET LEVER HOISTS ON THE MARKET.



SERIES 602 & 603 MINI BATCHET LEVER HOISTS

The CM® Series 602™ and Series 603™ mini ratchet lever hoists are the most compact ratchet lever hoists on the market. With capacities up to 1,100 pounds, these lightweight and portable hoists operate just like larger lever hoists. The Series 602 and 603 can easily fit in a tool box, allowing you to carry these handy hoists to and from jobs.

550 & 1,100 LB. CAPACITIES STANDARD LIFTS OF 5 & 10 FT.

BENEFITS & FEATURES

EASY TO USE

Great for use in confined areas, even with one-handed operation. Rubber hand grip for better comfort and security.

EASY & SMOOTH FREE CHAINING

Easily position the chain and quickly attach it to the load. Designed not to accidently free chain while under load.

POSITIVE LOAD CONTROL

Enclosed Weston-type brake stays clean and dry for precise load positioning.

EXCELLENT CORROSION PROTECTION

Powder-coat finish provides extra protection in harsh environments.

BUILT TO LAST

Steel frame, gear case and cover withstand rigorous use.

PLATED LOAD CHAIN

Hardened, link-type alloy steel load chain is zinc plated on the Series 602 and gold chromate on the Series 603 for protection against corrosion.

EASY-TO-INSPECT SWIVEL HOOKS

Upper and lower hooks are forged, allowing them to yield under overload without breaking. Cast safety latches provide positive and secure load engagement.

METRIC RATED

INDUSTRY-LEADING WARRANTY

Our lifetime warranty on all mechanical components is the industry's best warranty against manufacturing and material defects.






CM Series 602 550 lb. Capacity






SERIES 602



SERIES 603



SPECIFICATIONS & DIMENSIONS

Product Code	Description	Capacity		Lift	Number of	One Full		Weight	Dimensions (in.)										
		(lbs.)	(Kg.)	(ft.)	Chain- falls	Lever Turn (in.)	W.L.L. (lbs.)	(lbs.)	A (min.)	В	С	D	E	F	G	н	J	К	L
0210	Series 602	550	250	5	1	3.15	56	6.0	9.45	0.790	0.83	0.55	6.300	2.840	1.30	1.500	3.86	0.830	3.03
0214	Series 602	550	250	10	1	-	-	7.0	9.45	0.790	0.83	0.55	6.300	2.840	1.30	1.500	3.86	0.830	3.03
0212	Series 602 Carrying Bag	-	-	_	-	-	-	0.3	_	-	-	_	-	-	_	-	-	-	-
0215	Series 603	1,100	500	5	1	1.57	78	7.0	11.25	0.625	1.00	0.50	6.375	4.125	1.50	2.625	4.50	1.375	3.125
0216	Series 603	1,100	500	10	1	1.57	78	8.0	11.25	0.625	1.00	0.50	6.375	4.125	1.50	2.625	4.50	1.375	3.125
0217	Series 603 Carrying Bag	-	-	_	_	-	_	0.3	_	_	_	_	_	-	_	-	-	-	-

YOUR ONE SOURCE FOR FLOOR-TO-CEILING SYSTEMS

Since 1875, Columbus McKinnon has helped to make material handling easier and safer, and, today, is your single source for complete floor-toceiling lifting systems.

From below-the-hook attachments, chain, rigging products, manual and powered chain hoists to electric wire rope hoists, cranes, enclosed track systems and specially engineered products, Columbus McKinnon has the engineering expertise to meet the most demanding applications.







KNOW HOW. KNOW WHY.

Columbus McKinnon is committed to providing expert safety training on the proper use and inspection of rigging and overhead lifting equipment. Our company offers comprehensive programs at our national training centers as well as on-site at your facility. Courses include:

- Hoist Maintenance
- Safe Hoisting
- Rigging Gear Inspection
- Crane & Hoist Inspection
- Load Securement
- Crane Operator Training
- Rigging



Win in the marketplace with **CMCO University.**™ This three-day program is designed to give Channel Partners intimate product and application knowledge that they can use to advise their end-user customers during the product selection and sales processes.

Columbus McKinnon's corporate headquarters in Getzville, New York, is home to our state-of-the-art Niagara Training Center. The 3,000-square-foot facility is dedicated to training Channel Partners and end users on the safe and proper use of hoist and rigging products. The Center offers a one-of-a-kind training experience on chain and rigging equipment with more than 75 manual and powered hoists, enclosed track systems and our 50-foot-wide crane system with 3-ton Yale Global King wire rope hoist.

























USA 800.888.0985 • 716.689.5400 • fax: 716.689.5644

CDN 877.264.6478 • fax: 877.264.6477

www.cmworks.com

Q+৯♥腸in f ở